



Restyled not only for the eyes but also for driving pleasure.



New LED Headlamps | New Front Grille & Bumper



New Two-tone 15-inch Alloy Rims

New Two-tone Side Skirtings

New Rear Bumper



Retractable Side Mirrors with Turn Signals


New Meter Combi (White Illumination) New Semi-bucket Leather Seats








Vehicle Stability Control (VSC)The system improves vehicle stability by detecting and reducing skidding.




Traction Control (TRC)
Improves safety when driving on slippery roads.



ABS (Anti-lock Braking System) with EBD (Electronic Brake Distribution)





Hill-start Assist (HSA)

Prevents your car from rolling backwards on steep surfaces after the brake is released.




Seat Belt Reminder (Driver & Front Passenger)





Every drive is an enjoyable experience with smart technologies.



1.0ℓ VVT-i & 1.3ℓ DUAL VVT-i ENGINES

Primed for performance, made for efficiency. The Perodua Bezza's EEV engines are built lightweight and compact to improve fuel consumption, as well as to reduce levels of vibration and noise.

ENGINE	FUEL CONSUMPTION			
LINGINE	5 MT	4 E-AT		
1.0ℓ VVT- i	22.8km/ℓ	21.3km/ℓ		
1.3/ VVT- i	_	21km/ℓ**	22km/ℓ*	



*Based on AV variant with 'Eco Idle'. **Based on X variant.



Smart Entry with Smart Key

Push Start/Stop Button



Multimedia System with Navigation & 'Smart Link' for Android

508ℓ Luggage Space



VARIANT COMPARISON







- ABS (Anti-lock Braking System) with EBD (Electronic Brake Distribution)

- ∙508ℓ Luggage Space



TECHNICAL SPECIFICATIONS

		MODEL			G		X	AV	
	TD			5 MT	1.0ℓ	4 E-AT	4 E-AT	.3ℓ 4 E-AT	
		TRANSMISSION Overall length/width/height mm		3 111		4 L-A1	4170/1620/1525	4 E-A1	
	Interior length/wid		mm				1900/1385/1240		
	Wheelbase		mm				2455		
SE	Couple distance	Front & rear	mm				890		
SE	coupic distance	Driver & passenger	mm				640		
DIMENSIONS & WEIGHT	Track	Front	mm		1410			405	
۵~	Kerb weight	Rear	mm kg	865	1405	880	925	940	
	Luggage capacity		l l	803		000	508	940	
	Min. turning radiu	S	m		4.5			5.0	
	Engine type		1KR-VE				R-VE		
	Valve mechanism			DOHC with VVT-i		T-i	DOHC with DUAL VVT-i		
	Total displacemen	t	сс	998			1329		
	Bore x stroke		mm		Ø 71.0 x 84.0		Ø 72.5 x 80.5		
ENGINE	No. of cylinders Compression ratio				3		11.5 : 1		
ENG	Max. output (DIN)		kW/rpm	50/6000			70/6000		
_	Max. torque (DIN)		Nm/rpm		91/4400			/4000	
	Fuel consumption	(with Eco-driving)	km/ℓ	22.8	1,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	21.3	21.0	22.0 with 'Eco Idle'	
	'Eco Idle' system (I						-	•	
	Fuel tank capacity		l				36		
CHASSIS	Tyres & disc wheel	S		175/65	5 R14 (14" a l	loy rims)		wo-tone alloy rims)	
₹	Spare tyre						175/65 R14		
	Front & rear bump Side skirtings with						Standard type		
	Front grille	two-tone colour		Glossy	black & silve	er finish	• Glossy black	↓ • & chrome finish	
OR	LED headlamps			Glossy	● DIACK & SIIVE	.1 11111311	• Glossy black	CHIOIHE HHISH •	
EXTERIOR	Front fog lamps				_		•	•	
X	Electric side mirro	rs				With tu	rn signa l s	Retractable with turn signals	
_	Outer door handle	S					Chrome finish		
	Rear combination	lamps					LED (with light guide & LED stop lamp)		
	Blacked-out pillar				-		•	•	
	Instrument panel						Monotone (black) with silver painted garnish		
	Centre cluster Meter combination	<u> </u>					Painted (black) White illumination		
			Front	Standard type	with detacl	nahle headrest		th detachable headrest	
	Seats		Rear			ated headrest		h detachable headrest	
OR.	Seat cover materia	ıl				Fak		Leather	
INTERIOR	Door trims				Full trim		Full trim with fabric finish		
Z	Door armrests						Painted (silver)		
	Inside door handle						Chrome finish	1	
		(driver & passenger's	side)	•			•	•	
	Multipurpose compartment Under-luggage compartment			•		•	•		
	12V power socket	mpartment			•		•	•	
					A III a selection of a selection		LICE O Discount	Multimedia system with navigation &	
	Audio					Audio system wit		'Smart Link', USB, Bluetooth & HDMI	
	Speakers				Front (2)			& rear (2)	
	USB port at rear co		ata a la co				•	•	
		mart key & push start/s	stop button		-		•	•	
Ŧ	Multi-info display (service info, avera	ge fuel consumption,	CFC, range)	•			•	With 'Idle Stop' indicator	
COMFORT	Auto-off headlam		-,		•		•	•	
CON	Electric power steering			•		•	•		
	Steering wheel wit						-	With leather-wrapped	
	Power windows			With (one-touch function on driver's side)		on driver's side)	With (one-touch function with jam protection on driver's side)		
		Seat height adjuster (driver's side)		-			•	•	
	Front corner senso	ors			-		•	•	
	Reverse sensors			<u> </u>		_	•		
	Reverse camera Dual SRS airbags		-			Driver and passenger			
	ABS with EBD		•			•	•		
	Vehicle Stability Control (VSC)			_		•	•		
E T	Traction Control (TRC)			_		•	•		
Ü	Brake Assist (BA)		-			•	•		
SE	Advanced Safety Assist (A.S.A.) 2.0		-			-	•		
TY 8	Solar & security window film		-			•	•		
SAFETY & SECURITY	ISOFIX system Anti-theft device				•		With alarm, immobiliser & panic button	•	
S	Wireless door lock	& alarm		Keyw	ith integrat	ed remote		irt key	
		n on instrument pane	ı	icy W	•	ea remote	•	•	
	Seat belt reminder					Driver	's side	Driver & passenger's side	
ES	Carpet mats				•		•	•	
ACCESSORIES	Safety triangle	Safety triangle			•		•	•	
	Registration plate	holder			•		•	•	
	Luggage net				•		•	•	

Specifications are subject to change without prior notice.

COLOURS

Garnet Red* - Metallic Granite Grey - Metallic



Sugar Brown - Metallic

Ocean Blue - Metallic







TOTAL PROTECT® Plus

Unist**
Enjoy great benefits and get rewarded with UFirst.
Plus, you can book your car service via E-Appointment at your convenience. Download UFirst app and activate your membership today.

Google play Sometime on the



Perodua Total Protect Plus with 24-hour Auto Assist**
Enjoy peace of mind. Every new Perodua comes
insured with Total Protect Plus, which includes a free
towing service and emergency assistance on-call 24/7
(1800-88-5555). Plus, you can renew your car
insurance at any authorised Perodua outlet.



Visit your nearest Perodua showroom or call 1800 88 6600.

LFT DOM BZA 04 – JAN 2020 – A